

MAS 90 – MAS 200

Integrated Solutions Compatibility Matrix

Revised as of October 24, 2005

The Integrated Solutions Compatibility Matrix is intended to cover all information as of October 24, 2005, regarding all MAS 90 and MAS 200 Integrated Solutions compatibility with MAS 90 and MAS 200. Any version not listed should be assumed to be *incompatible*. If your configuration is not listed, the Sage Software Customer Support Department cannot provide support for you.

Note: Before and during an installation, thoroughly review this document, along with the installation guide, the Supported Platform Matrix, and the Hot Pre-Installation Information page in the Sage Software Online area of the Sage Software Web site at: www.sagesoftwareonline.com

Only the current release levels of the product should be run. If Master Developer customizations or modifications have been made to your MAS 90 or MAS 200 software, coordinate with your Sage Software business partner and your Master Developer before installing a new version of MAS 90 or MAS 200. It is our general policy to support only the current version of the software and one major revision back.

As of the release of MAS 90 and MAS 200 Version 4.10, we officially retired support for MAS 90 and MAS 200 Level 3.70 and lower. MAS 200 for SQL Level 3.6x is still supported. Alternative support options may be available through your Sage Software business partner. Program fixes will continue to be made available only on the current version of the software. For information about support policies, visit the Sage Software Online Web site at: <http://support.sagesoftwareonline.com/>

ACT! Link, Abra HR Link, FAS Link, and Starship Link must be at the same version as the other MAS 90 and MAS 200 modules installed. The one exception to this is ABRA HR Link Version 4.0, which is also compatible with Level 3.71 of MAS 90 and MAS 200.

Web site content can change at any time. Sage Software has no control over, and cannot be responsible for, the content of other companies' Web sites.

MAS 90 – MAS 200
Integrated Solutions Compatibility Matrix
 Revised as of October 24, 2005

Product Version	MAS 90 Versions Supported	MAS 200 Versions Supported	MAS 200 for SQL Versions Supported	Hardware and System Requirements	Remarks
ACT!					
5.0.3.423	3.70	3.70	3.60-3.70	<ul style="list-style-type: none"> ▪ Microsoft® Windows® 98/Me/NT 4.0/2000/XP ▪ 60 MB of free hard disk space ▪ 133 MHz or higher processor ▪ 64 MB of RAM or higher ▪ Microsoft Internet Explorer® 5.5/6.0 (Windows-compatible modem required for auto-dialing or modem-based synchronization) ▪ Microsoft TAPI-enabled phone hardware and caller ID support required to auto-find contacts 	<ul style="list-style-type: none"> ▪ Contact ACT! Technical Support at 800-927-3989. ▪ For ACT! support knowledgebase, related issues, and questions, visit: www.act.com ▪ ACT! 2005 / Version 7.0 and ACT! 2006 are not currently supported with MAS 90 and MAS 200 Version 4.x. This will be re-evaluated subject to market demand. ▪ The minimum hardware and system requirements for ACT! do not meet the minimum requirements for MAS 90 and MAS 200. For information on hardware and system requirements for MAS 90 and MAS 200, refer to the Supported Platform Matrix. ▪ The ACT! 6 Link will be provided to existing customers as an extended solution post 4.10 release, currently scheduled for Q1 2006. This will include all existing features of the current ACT! Link. Only ACT! 6 is supported. The ACT! Link will be distributed electronically as per normal Extended Solutions delivery. There will be no charge for existing ACT! Link customers
5.0.3.454	3.70	3.70	3.60-3.70		
5.0.4.478	3.71	3.71	3.61-3.71		
5.0.4.495	3.71-4.05	3.71-4.05	3.61-3.72		
6.0.2	3.71-4.05	3.71-4.05	3.61-3.72		
6.0.3	3.71-4.05	3.71-4.05	3.61-3.72		

MAS 90 – MAS 200
Integrated Solutions Compatibility Matrix
 Revised as of October 24, 2005

Product Version	MAS 90 Versions Supported	MAS 200 Versions Supported	MAS 200 for SQL Versions Supported	Hardware and System Requirements	Remarks
Abra HR					
6.32	3.70-3.71	Not supported	Not supported	Workstation: <ul style="list-style-type: none"> ▪ Microsoft Windows 98/NT 4.0/2000/XP Windows 2000 or XP recommended) ▪ 266 MHz or higher Pentium processor (400 MHz recommended) ▪ 64 MB of RAM or higher (128 MB recommended) ▪ 500 MB of hard disk space for full suite of products ▪ 100 Mbps network card for network installations (10 Mbps minimum) ▪ Internet access using Microsoft Internet Explorer 5.0 or higher ▪ Audio capabilities (needed for tutorial only) Server: <ul style="list-style-type: none"> ▪ Microsoft Windows NT Server 4.0/2000 Server, or Novell NetWare 4.11 or higher In order to support long file names, Novell users must install longnam.exe. For more information and product updates, visit: http://support.novell.com/filefinder ▪ Pentium or Pentium Pro processor: 266 MHz or higher (600 MHz recommended) ▪ 128 MB of RAM (512 MB recommended) ▪ 4 GB of hard disk space (8 GB recommended) ▪ 100 Mbps network card, data hub, and cabling ▪ CD-ROM drive plus 3.5" disk drive ▪ Streaming tape or other backup device ▪ Uninterruptible Power Supply (UPS) 	
6.33	3.70-3.71	3.70-3.71	Not supported		
7.0	3.70-3.71	3.70-3.71	Not supported		
7.1	3.70-3.71	3.70-3.71	Not Supported	Version 7.1 required for use with Abra HR to MAS 90 Link Level 3.70 or 3.71	Abra HR to MAS 90 Link Level 3.71 required.
7.2	3.71-4.05	3.71-4.05	Not Supported	Version 7.2 required for use with Abra HR to MAS 90 Link Version 4.0	Abra HR to MAS 90 Link Version 4.0 required.
7.3	3.71-4.10	3.71-4.10	Not Supported	Version 7.3 required for use with Abra HR to MAS 90 Link Version 4.10	Abra HR to MAS 90 Link Version 4.10 required.
7.4	3.71-4.10	3.71-4.10	Not Supported		

MAS 90 – MAS 200
Integrated Solutions Compatibility Matrix
 Revised as of October 24, 2005

Product Version	MAS 90 Versions Supported	MAS 200 Versions Supported	MAS 200 for SQL Versions Supported	Hardware and System Requirements	Remarks
Business Alerts					
4.1.0	3.70-3.71	3.70-3.71	3.61-3.71	<ul style="list-style-type: none"> ▪ Microsoft Windows 2000 (with Service Pack 1 or higher)/NT Server 4.0 (with Service Pack 6 or higher), Windows XP, or MS Server 2003 ▪ Microsoft Outlook 98/2000/XP ▪ CDO (Collaborative Data Objects) installed prior to installing Business Alerts if using MAPI or Exchange for Microsoft Outlook 2000 and XP ▪ Microsoft Data Access Components (MDAC) Version 2.5 or higher ▪ SMTP E-mail Agent requires an available SMTP Server 	Only Windows 2000 is supported to act as the Business Alerts server when connecting to Novell NetWare networks.
4.2.0	4.0-4.05	4.0-4.05	3.72		
4.3.0	4.10	4.10	3.72		
Crystal Reports for MAS 90 and MAS 200					
8.5	3.70-4.05	3.70-4.05	3.61-3.72		<ul style="list-style-type: none"> ▪ Crystal Reports Version 8.5 is supported with Windows Server 2003 Terminal Services/Citrix server. There are no known issues with this configuration; however, because Business Objects (formerly Crystal Decisions) does not support Crystal Version 8.5 in this configuration, any discovered defects will not be corrected by Sage Software. Refer to the Business Objects article c2009948 at: http://support.businessobjects.com/ ▪ Only Crystal Reports Version 8.5 is currently supported with MAS 90 and 200 Versions 3.7x and 4.05. Although Business Objects supports Crystal Reports Versions 9.0 and 10.0 with Windows Server 2003, Crystal Reports Versions 9.0 and 10.0 with MAS 90 and 200 Version 3.7x or 4.0x is not supported.
9.0	Not Supported	Not Supported	Not Supported		

MAS 90 – MAS 200
Integrated Solutions Compatibility Matrix
 Revised as of October 24, 2005

Product Version	MAS 90 Versions Supported	MAS 200 Versions Supported	MAS 200 for SQL Versions Supported	Hardware and System Requirements	Remarks
10.0	4.10	4.10	3.72		Crystal Version 10.0 is currently not supported with MAS 200 for SQL Version 3.73, but is anticipated to be supported in the near future. Review this document frequently for updated information.
XI	Not Supported	Not Supported	Not Supported		
Crystal Enterprise/Crystal Report Server					
8.0	3.70-4.05	3.70-4.05	3.61-3.72	<ul style="list-style-type: none"> ▪ Windows 2000 Server with Internet Information Server (IIS) 	Business Objects does not support Crystal Enterprise Version 8.0 with Windows Server 2003. Do not use Windows Server 2003 as the Terminal Services/Citrix server or the IIS if you are using Crystal Enterprise. Refer to the Business Objects article c2011138 at: http://support.businessobjects.com/
8.5 & 9.0	Not Supported	Not Supported	Not Supported		
10.0	Not Supported	4.10	Not Supported		
XI	Not Supported	Not Supported	Not Supported		

MAS 90 – MAS 200
Integrated Solutions Compatibility Matrix
 Revised as of October 24, 2005

Product Version	MAS 90 Versions Supported	MAS 200 Versions Supported	MAS 200 for SQL Versions Supported	Hardware and System Requirements	Remarks
Data Migrator					
For Peachtree Versions 7.0.02, 7.0.03, 7.0.04, 8.0.01 or 8.0.02	3.70-4.0x	3.70-4.0x	Not Supported	<ul style="list-style-type: none"> ▪ Windows 2000 minimum ▪ Microsoft Excel 2000/XP/2003 for BusinessWorks and QuickBooks (MAS 90 or 200 Version 4.0 is required for Excel 2003 support) ▪ Installing Data Migrator on a stand-alone workstation is recommended ▪ Microsoft Data Access Components (MDAC) Version 2.6 ▪ MAS 90 (including the Visual Integrator module) must be installed prior to installing Data Migrator 	<ul style="list-style-type: none"> ▪ Do not install BusinessWorks Gold and Peachtree on the same system. This will create Btrieve and Pervasive conflicts. ▪ Microsoft Excel 2000/XP/2003 must be installed locally on the Data Migrator workstation when converting BusinessWorks or QuickBooks. Note: Excel must not be open during the Data Migrator conversion. ▪ To migrate customers from Peachtree, BusinessWorks, or Quick Books to MAS 200 for SQL, use the comparable version of MAS 90 Data Migrator, and then use the tools within MAS 200 for SQL to bring the data into SQL. ▪ All required program and data files must be installed on the workstation from which the Data Migrator conversion will be processed. ▪ Peachtree Complete Accounting 2004 is not supported. ▪ QuickBooks 2004 is not supported. ▪ BusinessWorks Gold Version 5 is not supported. ▪ Data Migrator support for MAS 90 Version 4.10 is under development.
For Peachtree Complete Accounting 2002 Version 9.0	3.70-4.0x	3.70-4.0x	Not Supported		
For Peachtree Complete Accounting 2003 Version 10.0	3.71-4.0x	3.71-4.0x	Not Supported		
For BusinessWorks Version 12	3.70-4.0x	3.70-4.0x	Not Supported		
For QuickBooks Version 2000 or 2001 (Basic and Pro)	3.70-4.0x	3.70-4.0x	Not Supported		
For QuickBooks Version 2002	3.71-4.0x	3.71-4.0x	Not Supported		
For QuickBooks Version 2003	4.0x	4.0x	Not Supported		
For BusinessWorks Gold Version 2.31	3.70-4.0x	3.70-4.0x	Not Supported		
For BusinessWorks Gold Version 3 and 4	4.0x	4.0x	Not Supported		

MAS 90 – MAS 200
Integrated Solutions Compatibility Matrix
 Revised as of October 24, 2005

Product Version	MAS 90 Versions Supported	MAS 200 Versions Supported	MAS 200 for SQL Versions Supported	Hardware and System Requirements	Remarks
DynaLink (D/L)					
2.0	3.70-3.71	3.70-3.71	3.70-3.71	<ul style="list-style-type: none"> ▪ Windows NT Server 4.0 (with Service Pack 6A and Security Rollup Package)/2000 Server (with Service Pack 3)/2000 Professional (with Service Pack 3)/ Server 2003/XP Professional (with Service Pack 1)/ .NET Server ▪ 400 MHz or higher ▪ 256 MB of RAM or higher 	<ul style="list-style-type: none"> ▪ Windows NT 4.0 workstations not supported ▪ Not supported with Novell NetWare ▪ DynaLink 2.0 supported only with SalesLogix 5.2x ▪ DynaLink 2.1 supported only with SalesLogix 6.1.1 ▪ DynaLink not supported with SalesLogix 6.0 or 6.1.0 ▪ DynaLink 2.2 is supported only with SalesLogix 6.1.1 and 6.2 ▪ Dynalink 2.3 is currently not supported for Sage MAS 90 and 200 Version 4.10, but is anticipated to be supported in the near future. Review this document frequently for updated information.
2.1	3.71	3.71	3.71		
2.2	4.0-4.05	4.0-4.05	3.72		
F9 for MAS 90 and MAS 200					
4.0	3.70-3.71	3.70-3.71	Not Supported	<ul style="list-style-type: none"> ▪ Microsoft Excel 97/2000/XP ▪ Microsoft Office 2003 ▪ Lotus is not supported ▪ Windows 98/NT4.0 or later ▪ 256 MB of RAM or higher 	It is highly recommended that all users of F9 apply the latest Service Release for their version of Microsoft Excel to their Microsoft Excel installation. To determine if the latest Service Release for Microsoft Excel is installed on your system, select Start > Windows Update > Microsoft Office Product Updates. It is highly recommended that all users of F9 download the latest release of F9 for MAS 90 and 200 from the F9 web site at: http://www.f9.com/downloads
4.0 for SQL	Not Supported	Not Supported	3.61-3.72		
4.5	4.0-4.10	4.0-4.10	Not Supported	<ul style="list-style-type: none"> ▪ Microsoft Excel 97/2000/XP ▪ Microsoft Office 2003 ▪ Lotus is not supported ▪ Windows 2000/XP Pro ▪ Pentium 3 or higher ▪ 256 MB of RAM or higher 	It is highly recommended that all users of F9 apply the latest Service Release for their version of Microsoft Excel to their Microsoft Excel installation. To determine if the latest Service Release for Microsoft Excel is installed on your system, select Start > Windows Update > Microsoft Office Product Updates. It is highly recommended that all users of F9 download the latest release of F9 for MAS 90 and 200 from the F9 web site at: http://www.f9.com/downloads

MAS 90 – MAS 200
Integrated Solutions Compatibility Matrix
 Revised as of October 24, 2005

Product Version	MAS 90 Versions Supported	MAS 200 Versions Supported	MAS 200 for SQL Versions Supported	Hardware and System Requirements	Remarks
FAS Asset Accounting					
2001.1	Not Supported	Not Supported	3.60	Workstation: <ul style="list-style-type: none"> ▪ Microsoft Windows 98/Me/NT 4.0 (with Service Pack 6a)/2000 (with Service Pack 1, 2, or 3)/XP ▪ Pentium-class Processor: 166 MHz or higher ▪ 64 MB of RAM ▪ 100 MB of free space for FAS ▪ 60 MB of free space for FAS Report Writer (200 MB recommended) Server: <ul style="list-style-type: none"> ▪ Novell Netware v5.1 or 6.0, Microsoft Windows NT Server 4.0 with Service Pack 6a or Windows 2000 Server with Service Pack 1, 2, or 4 ▪ Pentium-class Processor: 233 MHz or higher ▪ 128 MB of RAM or higher ▪ 100 MB of free space for FAS ▪ 200 MB of free space for FAS Report Writer Remote Access: <ul style="list-style-type: none"> ▪ Windows NT Server 4.0 Terminal Server Edition with Service Pack 6 or Windows 2000 Terminal Server Edition with Service Pack 1 ▪ Note: Either Windows NT 4.0 or Windows 2000 can be used in conjunction with Citrix MetaFrame 1.7 or 1.8, or Citrix MetaFrame XP (includes XPe, XPa, and XPs) ▪ Note: Cannot be used across subnets without Terminal Server and/or Citrix 	Due to frequent law changes, the most current version of FAS Asset Accounting should be used. The standard (non-SQL) version of FAS is compatible with MAS 200 for SQL Server using the FAS Link located on the MAS 200 for SQL CD-ROM. It is recommended that you install FAS and MAS 200 for SQL Server on separate servers. FAS Link is only compatible with FAS for Windows. If FAS SQL is installed, use the FAS Universal General Ledger Link to create the depreciation file and then import the file into General Ledger with Visual Integrator. The FAS Universal General Ledger Link is preinstalled when FAS for SQL is installed. The serial number to activate this link is e-mailed to the customer at the time the order is placed. If you own FAS for SQL and did not receive the serial number, call FAS Sales at 800-368-2405. Note: Visual Integrator is a MAS 90 module that imports data into MAS 90 or 200 from external data files. Sage Software Customer Support is not responsible for assisting with creating or troubleshooting imports. Contact your Sage Software business partner for assistance.
2001.2	Not Supported	Not Supported	3.61		
2002.1	3.70	3.70	3.70		
2002.1.1	3.70	3.70	3.70		
2002.1.2	3.70-3.71	3.70-3.71	3.70-3.71		
2003.1 & 2003.1.1	3.70-3.71	3.70-3.71	3.70-3.71		
2004.1	3.70-4.0	3.70-4.0	3.70-3.71		
2004.2	3.71-4.05	3.71-4.05	3.70-3.72		
2005.1	3.71-4.10	3.71-4.10	3.72		

MAS 90 – MAS 200
Integrated Solutions Compatibility Matrix
 Revised as of October 24, 2005

Product Version	MAS 90 Versions Supported	MAS 200 Versions Supported	MAS 200 for SQL Versions Supported	Hardware and System Requirements	Remarks
FAS Select					
2003.1.1	3.71	3.71	3.71	See FAS Asset Accounting Hardware and System Requirements above.	
2004.1	3.71-4.0	3.71-4.0	3.70-3.71		
2004.2	3.71-4.05	3.71-4.05	3.70-3.72		
2005.1	3.71-4.10	3.71-4.10	3.72		
FAS FirstStep					
2001.1	Not Supported	Not Supported	3.60	Workstation: <ul style="list-style-type: none"> ▪ Microsoft Windows 98/Me/NT 4.0 (with Service Pack 6a)/2000 (with Service Pack 1, 2, or 3)/XP ▪ Pentium-class Processor: 166 MHz or higher ▪ 64 MB of RAM ▪ 100 MB of free space for FAS ▪ 60 MB of free space for FAS Report Writer (200 MB recommended) Server: <ul style="list-style-type: none"> ▪ Novell Netware v5.1 or 6.0, Microsoft Windows NT Server 4.0 with Service Pack 6a or Windows 2000 Server with Service Pack 1, 2, or 3 ▪ Pentium-class Processor: 233 MHz or higher ▪ 128 MB of RAM or higher ▪ 100 MB of free space for FAS ▪ 200 MB of free space for FAS Report Writer Remote Access: <ul style="list-style-type: none"> ▪ Microsoft Windows NT Server 4.0 Terminal Server Edition with Service Pack 6 or Windows 2000 Terminal Server Edition with Service Pack 1 ▪ Note: Either Windows NT 4.0 or Windows 2000 can be used in conjunction with Citrix MetaFrame 1.7 or 1.8, or Citrix MetaFrame XP (includes XPe, XPa, and XPs) ▪ Note: Cannot be used across subnets without Terminal Server and/or Citrix 	Due to frequent tax law changes, the most current version of FAS First Step should be used.
2001.2	Not Supported	Not Supported	3.61		
2002.1	3.70	3.70	3.61-3.70		
2002.1.1	3.70	3.70	3.70		
2002.1.2	3.70-3.71	3.70-3.71	3.70-3.71		
2003.1 & 2003.1.1	3.70-3.71	3.70-3.71	3.70-3.71		
2004.1	3.70-4.0	3.70-4.0	3.70-3.71		
2004.2	3.71-4.05	3.71-4.05	3.71-3.72		
2005.1	3.71-4.10	3.71-4.10	3.72		

MAS 90 – MAS 200
Integrated Solutions Compatibility Matrix
 Revised as of October 24, 2005

Product Version	MAS 90 Versions Supported	MAS 200 Versions Supported	MAS 200 for SQL Versions Supported	Hardware and System Requirements	Remarks
FRx Desktop for MAS 90 and MAS 200					
6.0	3.70	3.70	Not Supported	<ul style="list-style-type: none"> ▪ Microsoft Windows XP Professional preferred; Windows 2000 Professional SP2 or NT 4.0 Workstation SP6a are acceptable ▪ Pentium processor: 400 MHz or higher ▪ 64 MB of RAM or higher (128 MB recommended) ▪ 300 MB of hard disk space ▪ Default Printer 	Prior to performing an upgrade, compact the current spec set database and turn off security. Note: Upgrades must be installed to a new directory.
6.0 for SQL	Not Supported	Not Supported	3.60-3.70		
6.0.81	3.70-3.71	3.70-3.71	Not Supported		
6.0.81 for SQL	Not Supported	Not Supported	3.61-3.71		
6.5.152 (Service Pack 1)	4.0-4.05	4.0-4.05	Not Supported	<ul style="list-style-type: none"> ▪ Microsoft Windows XP Professional or Windows 2000 SP2 ▪ Pentium processor: 500 MHz or higher ▪ 128 MB of RAM or higher recommended ▪ 300 MB of hard disk space ▪ Default Printer ▪ Internet Explorer 6.0 	FRx versions lower than version 6.5.152 are not supported with Windows XP Professional SP2.
6.5.246 (Service Pack 8)	4.0-4.05	4.0-4.05	Not Supported		
6.7.1013(Service Pack 1) for 3.7x	Not Supported	Not Supported	Not Supported	<ul style="list-style-type: none"> ▪ Microsoft Windows XP Professional SP1 preferred; Windows 2000 SP4 acceptable ▪ Pentium processor: 500 MHz or higher ▪ 256 MB of RAM or higher ▪ 2 GB of hard disk space recommended ▪ Default Printer ▪ Internet Explorer 6.0 	Prior to performing an upgrade, compact the current spec set database and turn off security. It is recommended that users export all report, column and row formats before upgrading to version 6.7.1. Note: Upgrades must be installed to a new directory. Microsoft Office 2000, 2002, and 2003 are the only versions supported with 6.7. FRx 6.7.4031 is currently not supported for Sage MAS 200 for SQL Version 3.72, but is anticipated to be supported in the near future. Review this document frequently for updated information. FRx 6.7.4031 is currently not supported with MAS 200 for SQL Version 3.73, but is anticipated to be supported in the near future. Review this document frequently for updated information.
6.7.1013 (Service Pack 1) for 4.x	4.0-4.05	4.0-4.05	Not Supported		
6.7.1013 (Service Pack 1) for SQL	Not Supported	Not Supported	3.72		
6.7.3073 (Service Pack 3) for 4.0x	4.0-4.05	4.0-4.05	Not Supported		
6.7.3073 (Service Pack 3) for 3.7x	Not Supported	Not Supported	Not Supported		
6.7.3073 (Service Pack 3) for SQL	Not Supported	Not Supported	3.72		
6.7.4031 (Service Pack 4)	4.10	4.10	Not Supported		

MAS 90 – MAS 200
Integrated Solutions Compatibility Matrix
 Revised as of October 24, 2005

Product Version	MAS 90 Versions Supported	MAS 200 Versions Supported	MAS 200 for SQL Versions Supported	Hardware and System Requirements	Remarks
PCCharge Payment Server					
5.0	Not Supported	Not Supported	3.60	<ul style="list-style-type: none"> ▪ Microsoft Windows 2000/2003/XP ▪ Microsoft Jet Database Engine Service Pack 8, loaded on the server ▪ Pentium class processor: 400 MHz or higher ▪ 64 MB of RAM (256 MB recommended) ▪ Hayes compatible 300 or 1200 baud modem for dial-up or Broadband Internet connection for TCP/IP communication ▪ 30 MB of free disk space (100 MB recommended) 	<ul style="list-style-type: none"> ▪ Contact VeriFone Technical Support at 877-659-8981. For a list of the supported Credit Card Processors, refer to the PCCharge Certified Processor list located at: www.pccharge.com ▪ If you are upgrading, you must settle all transactions prior to the upgrade. If upgrading from version 4.1.28, disable the Secure Credit Card Numbers option in PCCharge prior to the upgrade.
5.2	Not Supported	Not Supported	3.61		
5.3.6	3.70	3.70	3.70		
5.4.12	3.71	3.71	3.71		
5.4.24	3.71	3.71	3.71		
5.5.1	3.71	3.71	3.71		
5.5.2	3.71	3.71	3.71		
5.5.4	3.71	3.71	3.71		
5.6.4	3.71	3.71	3.71		
5.6.6	3.71-4.0	3.71-4.0	3.71		
5.6.7	3.71-4.0	3.71-4.0	3.71		
5.7	3.71-4.05	3.71-4.05	3.72		
5.7.1B	3.71-4.10	3.71-4.10	3.72		
SalesLogix (S/L)					
5.0	Not Supported	Not Supported	3.60-3.61	For more information, see the Essential Guide to SalesLogix Implementation.	<ul style="list-style-type: none"> ▪ Windows NT 4.0 workstations is not supported. ▪ Not supported with Novell NetWare. ▪ DynaLink 2.0 supported only with SalesLogix 5.2x. ▪ DynaLink 2.1 supported only with SalesLogix 6.1.1. ▪ DynaLink 2.2 is supported only with SalesLogix 6.1.1 or 6.2.
5.2	3.70	3.70	3.70		
6.0, 6.1.0	Not Supported	Not Supported	Not Supported		
6.1.1	3.71	3.71	3.71		
6.2	3.71-4.05	3.71-4.05	3.72		

MAS 90 – MAS 200
Integrated Solutions Compatibility Matrix
 Revised as of October 24, 2005

Product Version	MAS 90 Versions Supported	MAS 200 Versions Supported	MAS 200 for SQL Versions Supported	Hardware and System Requirements	Remarks
StarShip					
7.0	Not Supported	Not Supported	3.60-3.61	<ul style="list-style-type: none"> ▪ Microsoft Windows 98/Me/2000/NT 4.0 (with Service Pack 5)/XP ▪ IBM PC or compatible with Pentium 133 MHz or higher processor ▪ 64 MB of RAM (128 MB recommended) ▪ 40 MB free disk space ▪ CD-ROM drive ▪ Microsoft mouse or compatible pointing device ▪ 800 x 600 or higher resolution display ▪ LAN connection to Internet (for use with UPS, FedEx, and Airborne) ▪ Modem connected to analog line (for use with USPS Delivery Confirmation) ▪ Microsoft Internet Explorer 5.0 or higher ▪ TCP/IP Network protocol with Static IP Addressing ▪ One free serial (COM) port is using electronic scale interface ▪ One free serial (COM) or parallel (LPT) port for thermal label printer ▪ Functioning modem driver 	<ul style="list-style-type: none"> ▪ TCP/IP Network protocol with Static IP Addressing applies only if using the FedEx Internet module. "Static IP Addressing" means that the computer's IP address does not change. If you are unsure about this setting, ask your Network Administrator for assistance. ▪ If you require FedEx Ship Manager Server (FSMS), use FSMS version 0723, which is compatible with StarShip version 8.7. FedEx no longer supports prior versions of FSMS. ▪ Because StarShip version 8.7 is a rate-change release, you are recommended to upgrade StarShip to version 8.7 or higher.
7.1b	3.70-3.71	3.70-3.71	3.70-3.71		
7.2b	3.71	3.71	3.71		
8.0	3.71	3.71	3.71		
8.1	3.71	3.71	3.71		
8.2	3.71-4.0	3.71-4.0	3.71		
8.3	3.71-4.0	3.71-4.0	3.71-3.72		
8.7	3.71-4.05	3.71-4.05	3.71-3.72		
9.0	4.05-4.10	4.05-4.10	3.71-3.72		
9.1	4.10	4.10			

MAS 90 – MAS 200
Integrated Solutions Compatibility Matrix
 Revised as of October 24, 2005

Product Version	MAS 90 Versions Supported	MAS 200 Versions Supported	MAS 200 for SQL Versions Supported	Hardware and System Requirements	Remarks
TimeSlips					
10.0	3.70-3.71	3.70-3.71	Not Supported	<ul style="list-style-type: none"> ▪ Windows 98 SE/Me/NT 4.0 (with Service Pack 6)/2000 (with Service Pack 1 or 2)/XP ▪ IBM PC Compatible with 200 MHz Pentium Processor, AMD or compatible processor (350 MHz or higher compatible processor recommended) ▪ 64 MB RAM (128 MB recommended) ▪ 100-110 MB free hard disk space (excluding your database), 30-50 MB additional for database, 75-100 MB required for MSDE connectivity ▪ CD-ROM Drive (4x recommended) ▪ 256-color VGA display 800 x 600 resolution (1024 x 768 is recommended) ▪ IBM PC Compatible keyboard, mouse, and printer ▪ Network connectivity requires a network adapter appropriate for the type of network you are connecting to (highest quality network hardware is recommended) ▪ An Internet connection of 14.4 Kbps or higher is required to utilize TimeSlips Web features ▪ Sound card and speakers ▪ Note: Product will not operate in a Windows Terminal Server environment using Windows Terminal Services ▪ TimeSlips is not supported in MAS 200 for SQL 	<ul style="list-style-type: none"> ▪ Customers who want to continue using TimeSlips with MAS 90 Version 4.0 can use General Ledger Exchange to import transactions from TimeSlips. TimeSlips Link is no longer available with MAS 90 Version 4.0. ▪ TimeSlips Link is no longer available with MAS 90 Version 4.0.
10.5	3.70-3.71	3.70-3.71	Not Supported		
11.0	3.70-3.71	3.70-3.71	Not Supported		

MAS 90 – MAS 200
Integrated Solutions Compatibility Matrix
 Revised as of October 24, 2005

Product Version	MAS 90 Versions Supported	MAS 200 Versions Supported	MAS 200 for SQL Versions Supported	Hardware and System Requirements	Remarks
WinFax Pro					
10.00	3.60-3.71	3.60-3.71	3.60-3.71		<ul style="list-style-type: none"> ▪ Only WinFax Pro is supported for batch faxing graphical forms in MAS 90 and MAS 200. ▪ Install LM3082-T with MAS 90 or MAS 200 Level 3.71. Review your documentation for recommended settings. ▪ Windows XP workstations are supported under the following conditions: <ul style="list-style-type: none"> ▪ MAS 90 or MAS 200 Level 3.71 must be installed. ▪ WinFax Pro 10.03 must be installed. ▪ LM3080-T (Revised 9/23/03) or LM3082-T must be installed. ▪ Symantec does not support WinFax Pro in a Terminal Server / Citrix environment, therefore WinFax Pro will also not be supported by Sage Software. ▪ WinFax 10.04 is currently not supported for Sage MAS 90, 200, or 200 for SQL, but is anticipated to be supported in the near future. Review this document frequently for updated information.
10.02	3.60-3.71	3.60-3.71	3.60-3.71		
10.03	3.60-4.05	3.60-4.05	3.60-3.72		
10.04	Not Supported	Not Supported	Not Supported		